




HYCU R-Cloud Hybrid Cloud Edition v5.3.0



Compatibility Matrix

Legal notices

Copyright notice

© 2026 HYCU. All rights reserved.

This document contains proprietary information, which is protected by copyright. No part of this document may be photocopied, reproduced, distributed, transmitted, stored in a retrieval system, modified or translated to another language in any form by any means, without the prior written consent of HYCU.

Trademarks

HYCU logos, names, trademarks and/or service marks and combinations thereof are the property of HYCU or its affiliates. Other product names are the property of their respective trademark or service mark holders and are hereby acknowledged.

Acropolis and Nutanix are trademarks of Nutanix, Inc. in the United States and/or other jurisdictions.

Amazon Web Services, AWS, and Amazon S3 are trademarks of Amazon.com, Inc. or its affiliates.

Azure®, Hyper-V®, Microsoft®, Microsoft Edge™, Microsoft Entra™, Microsoft 365™, and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

CentOS is a trademark of Red Hat, Inc. (“Red Hat”).

Cloudian and HyperStore are registered trademarks or trademarks of Cloudian, Inc.

Dell Technologies, Dell and other trademarks are trademarks of Dell Inc. or its subsidiaries.

Google Chrome™, Google Cloud™, and Google Cloud Storage™ are trademarks of Google LLC.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

NetApp®, NetApp Keystone®, and ONTAP® are trademarks of NetApp, Inc. and are registered in the United States and/or other jurisdictions.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

Red Hat Enterprise Linux is a registered trademark of Red Hat, Inc. or its subsidiaries in the United States and other countries.

"SUSE" and the SUSE logo are trademarks of SUSE LLC or its subsidiaries or affiliates.

Ubuntu is a registered trademark of Canonical Ltd.

VMware ESXi™, VMware Tools™, VMware vCenter Server®, VMware vSAN™, VMware vSphere®, VMware vSphere® Data Protection™, VMware vSphere® Virtual Volumes™, and VMware vSphere® Client are registered trademarks or trademarks of VMware, Inc. and its subsidiaries in the United States and other jurisdictions.

XenServer and XenCenter are trademarks of Citrix Systems, Inc. in the United States and other countries.

Disclaimer

The details and descriptions contained in this document are believed to have been accurate and up to date at the time the document was written. The information contained in this document is subject to change without notice.

HYCU provides this material "as is" and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. HYCU shall not be liable for errors and omissions contained herein. In no event shall HYCU be liable for any direct, indirect, consequential, punitive, special or incidental damages, including, without limitation, damages for loss and profits, loss of anticipated savings, business interruption, or loss of information arising out of the use or inability to use this document, or any action taken based on the information contained herein, even if it has been advised of the possibility of such damages, whether based on warranty, contract, or any other legal theory.

The only warranties for HYCU products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty.

Notice

This document is provided in connection with HYCU products. HYCU may have copyright, patents, patent applications, trademark, or other intellectual property rights covering the subject matter of this document.

Except as expressly provided in any written license agreement from HYCU, the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property on HYCU products. Use of underlying HYCU product(s) is governed by their respective Software License and Support Terms.

Important: Please read Software License and Support Terms before using the accompanying software product(s).

HYCU
www.hycu.com

Contents

Source environments	7
Nutanix AOS	7
VMware vSphere	7
XenServer	8
Azure Local	8
Hyper-V	8
File servers	9
Object servers	10
Virtual machines	11
Virtual machine guest operating systems	11
Virtual machine file systems	12
Application awareness	13
Nutanix Database Service	15
Targets	15
Servers	18
Server operating systems	18
Server CPU architecture	19
Server file systems	19
Application awareness	19
Targets	21
Deployment environments	22
Cipher suites	23
Web browsers	23

Software availability in native languages	25
---	----

Source environments

This section provides support information for source environments.

Nutanix AOS

The following Nutanix AOS versions are compatible with HYCU:

Nutanix AOS version	Notes
6.10	• HYCU supports AHV and ESXi. • Nutanix AOS support also includes all maintenance and patch releases that are applied on top of the supported Nutanix AOS versions. For example, version 7.0 covers all 7.0.x.x versions.
7.0	
7.1	
7.3	
7.5	

VMware vSphere

The following VMware vSphere versions are compatible with HYCU:

VMware vSphere version	Notes
7.0	• Both your vCenter Server and ESXi hosts must be running the supported version. • The supported hardware versions of virtual machines in a vSphere environment are 4 and later.
8.0	
9.0	
9.1	

XenServer

The following XenServer version is compatible with HYCU:

XenServer version	Supported
8.4	✓

Azure Local

The following Azure Local versions are compatible with HYCU:

Azure Local version	Supported
10.x	✓
11.x	✓
12.x	✓

Hyper-V

The following Hyper-V versions are compatible with HYCU:

Hyper-V version	Supported
22H2	✓
23H2	✓
24H2	✓

File servers

HYCU provides data protection for the following types of file servers:

File server type	Supported versions	Notes
Nutanix Files	5.1 5.2 5.3	- Both SMB and NFS protocols are supported. - SMB3 encryption is supported. <i>For Nutanix Files:</i> - Nutanix Files support also includes all maintenance and patch releases that are applied on top of the supported Nutanix Files versions. For example, version 5.1 covers all 5.1.x.x versions. - For the NFS protocol, the None and System authentication methods are supported. - HYCU does not currently support the WORM functionality in file shares.
Generic	N/A	
Dell PowerScale OneFS	9.0.0.0– 9.10.1.3	
NetApp ONTAP	9.6 9.7 9.8 9.9.1 9.10.1 9.11.1 9.12.1 9.13.1 9.14.1 9.17.1	
Azure Files	N/A	- SMB protocol is supported. - SMB3 encryption is supported.

Object servers

HYCU provides data protection for the following types of object servers:

Object server type	Notes
Nutanix Objects	• <i>For Amazon S3:</i> Protecting the data stored in directory buckets is not supported. • <i>For Dell PowerScale OneFS:</i> S3 protocol is supported.
MinIO	
Dell ECS	
Dell PowerScale OneFS	
Cloudian Object Storage	
Amazon S3	
Wasabi	
Scality	

Virtual machines

This section provides support information for virtual machines.

Virtual machine guest operating systems

HYCU can perform backup and restore of any virtual machine regardless of the operating system that is running on it, whereas restore of applications and individual files is available only for the following virtual machine guest operating systems:

Virtual machine guest operating system	Notes
Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	• Dynamic disks are not supported. • Windows Storage Spaces (WSS) is not supported. • Windows Failover Cluster and Cluster Shared Volumes are supported. • Restoring individual files from volumes with enabled data deduplication is not supported. • WinRM must be enabled and configured by using the <code>winrm quickconfig</code> command.
Windows 10 (64-bit) Windows 11 (64-bit)	• Dynamic disks are not supported. • Windows Storage Spaces (WSS) is not supported. • Application-aware backup is not supported. • WinRM must be enabled and configured by using the <code>winrm quickconfig</code> command.
Linux	• All versions with the supported file systems are supported. For details, see “Virtual machine file systems” on the next page. • Standard LVM volumes and thin-provisioned LVM volumes are supported. Linux Cluster resource managers are not supported.

	• Disks without partitions are not supported. • Access to the virtual machine through SSH must be enabled. • Restoring individual files and applications with the non-root sudo user by using CIFS is supported for: • CentOS 7.x • Oracle Linux 7.x, 8.x, and 9.x • Red Hat Enterprise Linux 7.x, 8.x, and 9.x • <i>For migrating virtual machines to and from cloud:</i> The following Linux operating systems are supported: • CentOS 7.x • Oracle Linux 7.x, 8.x, and 9.x • Red Hat Enterprise Linux 7.x, 8.x, and 9.x • SUSE Linux Enterprise Server 12 SP5 and 15 SP7 • Ubuntu 22.04, 24.04, and 25.10
--	---

Virtual machine file systems

HYCU can perform the backup and restore of any virtual machine regardless of the file systems used on the virtual machine, whereas restore of applications and individual files is available only for the following virtual machine file systems:

Virtual machine operating system	Supported virtual machine file systems
Windows	NTFS FAT FAT32 ReFS ^a
Linux	FAT32 xfs ext4/ext3/ext2 reiserfs btrfs

^a Supported only if you are restoring applications, and not individual files.

Application awareness

HYCU can discover the following applications running on virtual machines:

Application ^{ab}	Supported versions	Supported on operating systems	Notes
SQL Server	2014 ^c 2016 2017 2019 2022	Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	- Data protection for Always On Availability Groups and Always On Basic Availability Groups is supported. - SQL Server failover cluster is supported.
Active Directory	N/A	Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	The following roles are supported for Active Directory: Active Directory Domain Services, Active Directory Lightweight Directory Services, Active Directory Certificate Services, Active Directory Federation Services, and Active Directory Rights Management Services.
Exchange Server	SE	Windows Server 2019 Windows Server 2022 Windows Server 2025	Data protection for Database Availability Groups is supported.

Application ^{ab}	Supported versions	Supported on operating systems	Notes
Oracle	12c	CentOS 7.x Oracle Linux 7.x, 8.x, and 9.x Red Hat Enterprise Linux 7.x, 8.x, and 9.x SUSE Linux Enterprise Server 12 SP5 and 15 SP7	- Data protection for Oracle Real Application Clusters is not supported. - Data protection for Oracle Automatic Storage Management is not supported.
	19c	Oracle Linux 7.x, 8.x, and 9.x Red Hat Enterprise Linux 7.x, 8.x, and 9.x SUSE Linux Enterprise Server 12 SP5 and 15 SP7	
SAP HANA	2.0	SUSE Linux Enterprise Server 12 SP5 and 15 SP7	- Supported on Nutanix AHV clusters only. - SAP HANA single-host and multiple-host (distributed) configurations are supported.
PostgreSQL	17	CentOS 7.x Oracle Linux 7.x, 8.x, and 9.x Red Hat Enterprise Linux 7.x, 8.x, and 9.x SUSE Linux Enterprise Server 12 SP5 and 15 SP7 Rocky Linux 9.0	N/A

^a Discovery and data protection are supported only for 64-bit applications.

^b HYCU leverages VSS technology to create application-consistent backups of Active Directory and Exchange Server. Other VSS-based applications and services are not supported.

^c Not supported for Always On Basic Availability Groups.

Nutanix Database Service

The following Nutanix Database Service (NDB) versions are compatible with HYCU:

NDB version	Notes
2.8	NDB support includes also all maintenance and patch releases that are applied on top of the supported NDB versions. For example, version 2.8 covers all 2.8.x.x versions.
2.9	

The following Nutanix AOS versions are compatible with HYCU and NDB:

Nutanix AOS version	Notes
6.10	Nutanix AOS support also includes all maintenance and patch releases that are applied on top of the supported Nutanix AOS versions. For example, version 7.0 covers all 7.0.x.x versions.
7.0	
7.3	
7.5	

Targets

The following targets are supported for storing data protected by HYCU:

Target type	Supported	Notes
NFS	✓ Versions: 3 and 4	N/A
SMB	✓ Versions: 1.0, 2.0, 2.1, 3.0, and 3.1.1	SMB3 encryption is supported.
Nutanix	AOS versions: 6.10, 7.0, 7.3, and 7.5	N/A
Nutanix Objects ^a	✓ Versions: 5.1, 5.2, and	Backing up data to a Nutanix Objects target that

	5.3	has WORM enabled is supported. Restoring data from targets for which cloud tiering is configured is supported.
iSCSI	✓	HYCU can use iSCSI targets with one or more storage processors for storing data.
Azure Azure Government Azure China	✓	Backing up data to an Azure target that has the immutability policy (WORM) set is supported.
Amazon S3 AWS GovCloud (US) AWS China	✓	- Using Object Lock (WORM) is supported for Amazon S3 targets. - Storing data to an Amazon S3 target in Amazon Virtual Private Cloud (VPC) is supported.
S3 compatible	✓	- Certified cloud storage solutions for which using Object Lock (WORM) is supported: - Cloudian - DataCore Swarm - Huawei OceanStor Pacific - Immutably - Impossible Cloud - MinIO - NetApp StorageGRID - OVHcloud Object Storage - Pure Storage FlashBlade - Scality

		◦ StoneFly ◦ TrueNAS ◦ VAST Data Platform ◦ Wasabi ◦ Zadara • Certified cloud storage solutions for which using Object Lock (WORM) is not supported: ◦ Alibaba Cloud ◦ Snowball ◦ Tencent Cloud
Google Cloud	✓	Backing up data to a Google Cloud target that has Bucket Lock (WORM) enabled is supported.
QStar NFS	✓	QStar ASM software version 6 or 7 must be installed on the system to which tape is connected.
QStar SMB	✓	
Data Domain	✓ Versions: 7.8–8.x	Backing up data to a Data Domain target that has retention lock (WORM) enabled is supported.

^aNutanix Objects support also includes all maintenance and patch releases that are applied on top of the supported Nutanix Objects versions. For example, version 5.1 covers all 5.1.x.x versions.

Servers

This section provides support information for servers.

Server operating systems

HYCU can perform the backup and restore of servers (including the restore of applications and individual files) that are running the following operating systems:

Server operating system	Notes
Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	• The VSS service must be enabled and running, and the VSS writer status must be stable. • WinRM must be enabled and configured by using the <code>winrm quickconfig</code> command. • The latest Windows Server updates must be installed. • MBR basic disks and GPT basic disks are supported (MBR supports only primary partitions). • Dynamic disks are not supported. • Windows failover clusters are not supported. • Windows Storage Spaces (WSS) is not supported. • Restoring individual files from volumes with enabled data deduplication is not supported. • <i>For servers that use UEFI firmware:</i> Restoring individual files is supported for Windows Server 2019 and later.
Red Hat Enterprise Linux 7.x Red Hat Enterprise Linux 8.x Red Hat Enterprise Linux 9.x	• Access to the server through SSH must be enabled. • Only LVM volumes are supported.^a • Encrypted volumes are not supported.

Oracle Linux 7.x Oracle Linux 8.x Oracle Linux 9.x	
CentOS 7.x	

^a This does not apply to the boot disk.

Server CPU architecture

HYCU supports the x64 CPU architecture.

Server file systems

HYCU can perform the backup and restore of servers (including the restore of applications and individual files) that use the following server file systems:

Server operating system	Supported server file systems
Windows ^a	NTFS ReFS ^b
Linux	xfv ext4/ext3/ext2

^a Extended MBR partitions are not supported.

^b Not supported for restoring individual files.

Application awareness

HYCU can discover the following applications running on servers:

Application ^{ab}	Supported versions	Supported on operating systems	Notes
SQL Server	2014 ^c 2016 2017 2019	Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	Data protection for Always On Availability Groups and

Application ^{ab}	Supported versions	Supported on operating systems	Notes
	2022		Always On Basic Availability Groups is supported. • SQL Server failover cluster is supported.
Active Directory	N/A	Windows Server 2016 Windows Server 2019 Windows Server 2022 Windows Server 2025	The following roles are supported for Active Directory: Active Directory Domain Services, Active Directory Lightweight Directory Services, Active Directory Certificate Services, Active Directory Federation Services, and Active Directory Rights Management Services.
Exchange Server	SE	Windows Server 2019 Windows Server 2022 Windows Server 2025	Data protection for Database Availability Groups is supported.
Oracle	12c	Red Hat Enterprise Linux 7.x, 8.x, and 9.x Oracle Linux 7.x, 8.x, and 9.x	• Data protection for Oracle Real Application Clusters is not supported. • Data protection for Oracle Automatic Storage

Application ^{ab}	Supported versions	Supported on operating systems	Notes
	19c	Oracle Linux 7.x, 8.x, and 9.x Red Hat Enterprise Linux 7.x, 8.x, and 9.x	Management is not supported.
PostgreSQL	17	CentOS 7.x Oracle Linux 7.x, 8.x, and 9.x Red Hat Enterprise Linux 7.x, 8.x, and 9.x SUSE Linux Enterprise Server 12 SP5 and 15 SP7 Rocky Linux 9.0	N/A

^a Discovery and data protection are supported only for 64-bit applications.

^b HYCU leverages VSS technology to create application-consistent backups of Exchange Server. Other VSS-based applications and services are not supported.

^c Not supported for Always On Basic Availability Groups.

Targets

The following targets are supported for storing the data protected by HYCU:

Target type	Supported	Notes
NFS	✓ Versions: 3 and 4	Supported only for Linux operating systems.
SMB	✓	Supported only for Windows operating systems.
QStar NFS	✓	- Supported only for Linux operating systems. - QStar ASM software version 6 or 7 must be installed on the system to which tape is connected.
QStar SMB	✓	Supported only for Windows

Target type	Supported	Notes
		operating systems. QStar ASM software version 6 or 7 must be installed on the system to which tape is connected.

Deployment environments

The HYCU virtual appliance can be deployed to the following environments:

Deployment mode	Supported environments
HYCU Backup Controller	- Nutanix AHV cluster - Nutanix ESXi cluster - vSphere environment - XenServer environment - Azure Local environment - Hyper-V cluster - AWS GovCloud (US) environment - Azure environment - Azure Government environment
HYCU Instance	- Nutanix AHV cluster - Nutanix ESXi cluster - vSphere environment - XenServer environment - Azure Local environment - Hyper-V cluster - Azure environment^a - Azure Government environment^a
HYCU Manager	- Nutanix AHV cluster - Nutanix ESXi cluster - vSphere environment - XenServer environment

Deployment mode	Supported environments
	• Azure Local environment • Hyper-V cluster • Azure environment^b • Azure Government environment^b

^a If you want to create a HYCU instance virtual machine, contact [HYCU Support](#).

^b If you want to create a HYCU Manager virtual machine, contact [HYCU Support](#).

Cipher suites

HYCU supports the following cipher suites:

Cipher suite	Supported
ECDHE-ECDSA-AES128-GCM-SHA256	✓
ECDHE-ECDSA-AES256-GCM-SHA384	✓
ECDHE-ECDSA-CHACHA20-POLY1305	✓
ECDHE-RSA-AES128-GCM-SHA256	✓
ECDHE-RSA-AES256-GCM-SHA384	✓
ECDHE-RSA-CHACHA20-POLY1305	✓
DHE-RSA-AES128-GCM-SHA256	✓
DHE-RSA-AES256-GCM-SHA384	✓
AES256-GCM-SHA384	✓
AES128-GCM-SHA256	✓

Web browsers

The following web browsers can be used to access the HYCU web user interface:

Web browser	Supported
-------------	-----------

Compatibility Matrix

Microsoft Edge	✓
Mozilla Firefox	✓
Google Chrome	✓

Software availability in native languages

The following table lists the supported languages for HYCU:

Language	Supported	Locale code
English	✓	EN
Japanese	✓	JA

Provide feedback

For any suggestions and comments regarding this product or its documentation, send us an e-mail to:

info@hycu.com

We will be glad to hear from you!

